

2021 -09- 2 0

PO Box 634 {Donkerhoek}
 SILVERTON 0127
 GAUTENG NORTH D1

Lesedi Secondary School 7Classes

Item No		Unit	Quantity	Rate	Amount
	EXCAVATIONS				
	<u>Excavation in earth not exceeding 2m deep, for:</u>				
1	Trenches	m ³	315		-
	<u>Extra over all excavations for carting away</u>				
2	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m ³	157		-
	<u>Sundries</u>				
3	Allow for keeping all excavations free from water	Item			
	<u>FILLING, ETC</u>				
	<u>Approved earth filling obtained from the excavations well watered and compacted in layers not exceeding 150mm to a density of 93% modified AASHTO</u>				
4	Backfilling to trenches, bases, etc	m ³	79		-
5	Under solid floors, etc	m ³	65		-
	<u>Approved filling supplied by the contractor compacted to 95% Mod AASHTO density</u>				
6	Under floors, steps, pavings, etc	m ³	165		-
	<u>Compaction of surfaces</u>				
7	Compaction of ground surface under floors including scarifying for a depth of 150mm, breaking down oversize material and compacting to 93% Mod AASHTO density	m ²	525		-
	<u>SOIL POISONING</u>				
	<u>Soil insecticide</u>				
8	Termite poisoning of ground surfaces under solid floors by the treatment of ground in accordance with SABS 0124 and application in accordance with SABS 1164 and 1165	m ²	527		-
	<u>CONCRETE IN FOUNDATIONS</u>				
	<u>Mass concrete 25Mpa (20mm stone), cast against excavated faces, including filling to all irregularities caused by excavation in rock, etc., in:</u>				
9	Footings to walls, stepped and levelled	m ³	315		-
	<u>BRICKWORK</u>				
	<u>Brickwork of NFX clay bricks (14 MPa nominal</u>				

2021 -09- 20

Lesedi Secondary School 7Classes

compressive strength) in class I mortar				
11	One brick walls	m ²	450	-
FACED BRICKWORK				
<u>External facings (PC 7 500.00/1000 delivered on site) pointed with square horizontal and vertical joints.</u>				
12	Extra over ordinary brickwork for facing and pointing in stretcher bond	m ²	184	-
Brick reinforcement				
13	75mm Wide reinforcement built in horizontally	m	186	-
14	150mm Wide reinforcement built in horizontally	m	532	-
CONCRETE, FORMWORK AND REINFORCEMENT				
CONCRETE				
Mass concrete 25Mpa (20mm stone) in:				
15	Surface beds on dampproofing (measured elsewhere)	m ³	441	-
Finishing top surfaces of concrete smooth with a wood trowel				
16	Surface beds, etc.	m ²	399	-
STEEL REINFORCEMENT (PROVISIONAL)				
Mild steel reinforcement to structural concrete work				
16	10mm Diameter rods	tons	3	-
High tensile steel reinforcement to structural concrete work				
17	12mm Diameter rods	tons	7	-
Fabric reinforcement				
18	Ref 193 mesh reinforcement in concrete surface beds, slabs,etc	m ²	525	-
BRICKWORK				
Brickwork of nfp clay bricks in class II mortar				
19	Half brick wall.	m ²	280	-
20	Half brick wall in beamfilling.	m ²	65	-
21	One brick wall	m ²	532	-
FACED BRICKWORK				
<u>External facings (PC 7 500.00/1000 delivered on site) pointed with square horizontal and vertical joints.</u>				
	Extra over ordinary brickwork for facing and pointing in stretcher bond	m ²	280	-

2021 -09- 20

Lesedi Secondary School 7Classes

	Extra over ordinary brickwork in beamfilling for facing and pointing in stretcher bond	m ²	60	-
	Face brick-on-edge sills 200mm wide of cut face bricks set sloping and slightly projecting on all exposed surfaces	m	27	-
	<u>Sundries</u>			
22	1,6mm Thick galvanised hoop iron roof ties 38mm wide x 750mm long, one end built into top of brickwork and other end wrapped around and nailed to roof timbers (Provisional)	No	128	-
	<u>Brick reinforcement</u>			
23	75mm Wide reinforcement built in horizontally	m	700	-
24	150mm Wide reinforcement built in horizontally	m	1747	-
	<u>Prestressed precast concrete lintels</u>			
25	110 x 75mm Lintels not exceeding 3m	m	90	-
	<u>WATERPROOFING</u>			
	<u>DAMPPROOFING</u>			
	<u>375 micron "Brikgrip DPC" embossed black polyethylene sheeting</u>			
26	One layer to walls, under sills, etc.	m ²	56	-
	<u>250 micron "USB Green" polyethylene waterproof sheeting, with minimum 200mm overlaps at intersections, sealed at laps with 'Gunplas' Pressure Sensitive Tape</u>			
	One layer dampproofing under surface beds, beams, etc	m ²	525	-
	<u>ROOF COVERINGS, ETC.</u>			
	<u>Galvanized corrugated iron roofing sheets</u>			
	0,5mm full hard roof sheeting with pitch not exceeding 50 degrees fixed to timber purlins (elsewhere)	m ²	672	-
	0,6mm standard sheet iron ridge capping 460mm girth three times bent to detail and fixed to timber purlins (elsewhere)	m	70	-
	0,6mm sheet iron gable trim 340mm girth three times bent to detail and fixed to timber purlins (elsewhere)	m	48	-
	<u>CARPENTRY AND JOINERY</u>			
	<u>ROOF TIMBERS</u>			
	<u>Sawn South African Pine</u>			
	38 x 114mm Wall plates	m	140	-
	50 x 76mm Barge board bearers (Provisional)	m	48	-
	50 x 76mm Purlins (Provisional)	m	560	-

Wrot South African Pine

76 x 76mm Splayed purlins

m 42

PREFABRICATED ROOF TRUSSES

Double pitched full truss size 8,110m long x approximately 1,000m high in the centre with tie beam 7,50m long for a 15 degrees roof

No 77

ROOF SUNDRIES

Two coats wood preservative on sawn timber before fixing

m² 42

EAVES, VERGES, ETC

Pressed fibre-cement

225 x 15mm Fascias and barge boards, including galvanised steel H-profile jointing strips

m 224

SKIRTINGS

Wrought South African Pine

19 x 75mm Skirting including 19mm quadrant bead nailed

m 224

DOORS

Wrot Meranti

44 mm Thick framed, ledged and braced batten door, size 813 x 2032 mm high formed of 44 x 110 mm top rail and stiles, 22 x 150 mm middle ledge and braces and 22 x 225 mm bottom rail, filled in with 22 mm vertical tongue and groove planking and flush to the other side

No 7

JOINERY FITTINGS

THE FOLLOWING IN PINNING BOARDS

Softboard

10mm thick softboard pinning board fixed to plastered wall with an approved adhesive. Including rounded framing. 1.2mm X 2.4mm

No 14

CEILINGS

Pressed fibre-cement ceilings, etc

6mm Thick ceiling boards, fixed to timber branderling (measured elsewhere), including jointing with patented galvanised H-type pressed steel jointing strips

m² 525

'Rhino' gypsum plasterboard cornices

75mm Coved cornices

m 224

IRONMONGERY

Locks

2021 -09- 20

PO Box 634 {Donkerhoek}
SILVERTON 0127
GAUTENG NORTH D1

Lesedi Secondary School 7Classes

75mm two lever upright mortice lockset with satin chrome furniture

No

7

WALL MOUNTED WRITING BOARDS

Alliance enamelsteel white board as AE Execuboard Softline System complete with surround, corner pieces indicators and accessory holder fixed to wall; size 2 x 1m high

No

14

METALWORK

The Following in Framed and Welded Mild Steel

Security Gates and Fixing in Position Complete

(Provisional)

Single trellis gate formed of 25 x 25 x 2mm square tube framing all round mitred and welded at angles with two 25 x 25 x 2mm square tube horizontal intermediate rails with ends welded to framing and with six 12mm diameter rod vertical bars framed through intermediate rails with ends welded to pressed steel door frame, Ultra recessed cylinder pin security lock, etc., size 813mm x 2 032mm high overall

No

7

PRESSED STEEL DOOR FRAMES, ETC

1,6mm Thick double rebated steel door frames, suitable for 40mm thick doors and one brick walls

Frame for door size 813 x 2032mm high

No

7

STEEL WINDOWS

Standard school type steel windows with burglar bars

Window type 1HCH; size 1,143 x 0.457m

No

49

PLASTERING

SCREEDS

1:3 Cement plaster screed, finished to a smooth and even surface with a wood float

25mm Thick on floors (Provisional)

m²

606

INTERNAL PLASTER

One coat (1:5) internal cement plaster to brickwork with a steel trowel, on:

Walls

m²

623

EXTERNAL PLASTER

One coat (1:3) external cement plaster to brickwork with a steel trowel, on:

Walls

m²

886

FLOOR TILES

CERAMIC FLOOR TILES

300 X 300mm Cemaric tiles, on screed with approved adhesive

Lesedi Secondary School 7Classes

<u>(screed measured elsewhere) and flush pointed on:</u>				
Floors with continous joints in both directions on walkways	m ²	26		-
<u>VINYL FLOOR TILES</u>				
<u>300 X 300mm X 2.5 Vinyl tiles, on screed with approved adhesive (screed measured elsewhere) and flush pointed on:</u>				-
Floors and roll down and polish	m ²	364		-
<u>Glass in steel fixed with putty</u>				
3mm clear float glass in squares not exceeding 0,1 square and not exceeding 0,5 square metre in area	m ²	90		-
<u>PAINT ON PLASTER ETC</u>				
Prepare, stop and paint one coat alkali resistant primer and one full coat eggshell emulsion paint for interior use				
On internal plastered walls.	m ²	336		
<u>Prepare and apply two coats PVA emulsion paint for interior use</u>				
On internal ceilings, etc m2	m ²	364		-
<u>Paint on wood batten doors</u>				
Paint new hardwood frames, ledged and batten door with three coats clear eggshell vanish on inside and three coats suede varnish on outside and edges	No	7		-
<u>Paint on window frames</u>				
Paint putty on window panes including window frames with approved paint	No	49		-
<u>Electrical</u>				
Allow the PC-amount of R50 000.00 (Fifty Thousand rand), net for electrical, complete installed		Item		
Sub Total				
Vat			0,15	-
Total				-





SBD 4

DECLARATION OF INTEREST

1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes a price quotation, advertised competitive bid, limited bid or proposal). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-

- the bidder is employed by the state; and/or
- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

2.1 Full Name of bidder or his or her representative:

2.2 Identity Number:

2.3 Position occupied in the Company (director, trustee, shareholder²):

2.4 Company Registration Number:

2.5 Tax Reference Number:

2.6 VAT Registration Number:

- 2.6.1 The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below.

¹"State" means –

- (a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);
- (b) any municipality or municipal entity;
- (c) provincial legislature;
- (d) national Assembly or the national Council of provinces; or
- (e) Parliament.

²"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

LESEDI SECONDARY {DONKERHOEK}
 TEL: 012 751 6249 CELL: 082 556 3396
 Email: lesedisec@gmail.com
 {GDE}

2021 -09- 2 0

**PO Box 634 {Donkerhoek}
 SILVERTON 0127
 GAUTENG NORTH D1**

2.7 Are you or any person connected with the bidder presently employed by the state? YES / NO

2.7.1 If so, furnish the following particulars:

Name of person / director / trustee / shareholder/ member:
 Name of state institution at which you or the person connected to the bidder is employed :
 Position occupied in the state institution:

Any other particulars:

.....

2.7.2 If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector? YES / NO

2.7.2.1 If yes, did you attached proof of such authority to the bid document? YES / NO

(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the bid.

2.7.2.2 If no, furnish reasons for non-submission of such proof:

.....

2.8 Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months? YES / NO

2.8.1 If so, furnish particulars:

.....

2.9 Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid? YES / NO

2.10.1 If so, furnish particulars.

2.11.1 If so, furnish particulars:

[illegible]

May 2011



SBD 9

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Standard Bidding Document (SBD) must form part of all bids¹ invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3 Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
 - a. disregard the bid of any bidder if that bidder, or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct in relation to such system.
 - b. cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- 4 This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.



SBD 9

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Institution)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder



SBD 9

6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



SBD 9

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

Js914w 2

LESEDI SECONDARY SCHOOL



ENTER TO LEARN, LEAVE TO SERVE

Postal Address: P.O. Box 634, Silverton, 0127

Tel: (012) 751 6249 Fax: 0866389789 Email: lesedisec@gmail.com



REQUIRED DOCUMENTS FOR THE QUOTATIONS

The following documents are needed when submitting your quotation:

1. CSD
2. CIBD
3. SBD 4
4. SBD 9
5. Tax compliance
6. ID copy
7. BEE

Closing Date: 27 September 2021

